


Montageanleitung **Assembly Instruction**

TSG V4 200 Lift Türantrieb in **Thyssen RT300** **TSG V4 200 lift door operator in** **Thyssen RT300**

TSG V4 200 Lift Türantrieb in Thyssen RT300 – **TSG V4 200 lift door operator in Thyssen RT300**




Lieferumfang – scope of supply



picture	Number	description DE	description EN	quantity
	8.20.00101.04	TSG V4 Lift Door Operator -Electronic extern- 230[VAC]/50-60[Hz]	TSG V4 Lift Door Operator - Electronic extern- 230[VAC]/50-60	1
	8.20.2000x	Motor Klein Links/Rechts & Getriebe, 24V/2,8A/1:15, ohne Zahnrad	motor small left/right & gearbox, 24V/2,8A/1:15, without wheel	1
	1.20.601xx	Zahnriemenrad, HTD5M, d=10H7, D=37[mm], B=15[mm], mit Nut, mit 2 Bordscheiben	timing belt pulley, HTD5M, d=10H7, D=37[mm], B=15[mm]	1


Vor Umbau – before conversion

TL




TR spiegelbildlich –
TR mirrored


Vor Umbau entfernen – remove before conversion




Nach Demontage – after disassembly




Motorvorbereitung – motor preparation







Pos.	Number	Description DE	Description EN	Menge
210	08.20.20002	Motor klein Links & Getriebe 24V/2,8A/1:15, ohne Zahnrad	motor small left & gearbox, 24V/2,8A/1:15, without wheel	1
910	01.20.60140/ 60150	Zahnriemenrad, STD5M/8M	timing belt pulley, STD5M/8M	1




Pos.	Number	Description DE	Description EN	Menge
910	Originalteil	Motorhalter	original motor bracket	1
920	Originalteil	Puffer für Motor	original bumper for motor	4
930	Originalteil	Sechskantschraube	original hexagon head screw	4

Montage Motor – assembly of the motor







Montage Zahnriemen – assembly of toothed belt



Zahnriemen spannen - tensioning tooth belt







Langer & Laumann Ingenieurbüro GmbH
Wilmsberger Weg 8
48565 Steinfurt
Germany

Tel.: +49 (2552) 92791 0

support@lul-ing.de
www.lul-ing.de